

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 8]

NEW DELHI, SATURDAY, FEBRUARY 23, 1957

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th January, 1957.

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Andhra Pradesh							Bombay—contd.						
"N.R."							East Khandesh						
TOTAL,	Kolhapur	1	1
Total for w/e 19-1-57	Poona	1	..
Total for w/e 12-1-57	North Satara	2	..	11	..
Assam							Satara South	8	6	..	1
Kamrup	7	1	..	Thana	3	2
TOTAL	7	1	..	West Khandesh	4	..	24	1
Total for w/e 19-1-57	6	3	Amravati	7	2
Total for w/e 12-1-57	7	1	..	Chanda	7	2
Bihar							Wardha	32	5
Patna	1	..	9	Kutch	6	1
Gaya	6	4	..	Zalanad	5	..
Darbhangha	36	6	..	Aurangabad	4	4
Monghyr	3	Ratnagiri	1	..
Singhbhum	1	TOTAL	21	11	296	64
Dhanbad	1	Total for w/e 19-1-57	29	7	377	80
Hazari Bagh	4	2	..	Total for w/e 12-1-57	21	7	300	65
TOTAL	2	..	59	Delhi						
Total for w/e 19-1-57	3	9	3	..	Delhi City	6	1
Total for w/e 12-1-57	3	4	New Delhi	5	..
Bombay							Delhi Notified Area Committee	1	8
Greater Bombay	51	7	..	TOTAL	12	9
Ahmedabad	29	17	..	Total for w/e 19-1-57	34	11
Broach	29	3	..	Total for w/e 12-1-57	37	11
Mehsana	51	15	..	Himachal Pradesh						
Panchmahals	5	2	..	TOTAL
Surat	2	Total for w/e 19-1-57
Ahmednagar	1	Total for w/e 12-1-57

Explanation of Symbols used: — C. = Cases; D. = Deaths; .. = Nil. "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th January, 1957—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Kerala								Manipur																							
Trivandrum	2	4	TOTAL															
Quilon	18	15	Total for w/e 19-1-57															
Trichur	1	Total for w/e 12-1-57															
Malabar	4	2	Mysore																								
TOTAL	24	22	Chitaldrug	6	2															
Total for w/e 19-1-57	81	15	Kolar	10	1															
Total for w/e 12-1-57	49	12	Bidar	1															
							Bijapur	..	2	2	1															
							TOTAL	..	2	2	17	4															
							Total for w/e 19-1-57	2	1	38	18															
							Total for w/e 12-1-57	18	4	36	4															
Madhya Pradesh								Orissa																							
Raipur	4	1	5	1	Cuttack	..	4	4	9															
Surguja	1	Balasore	..	36	14	1															
Bilaspur	40	18	Puri	..	3	1	12															
Durg	4	Sambalpur	..	4	4															
Mandla	1	Mayurbhanj	21															
Nimar	1	Dhenkanal	24															
TOTAL	4	1	51	20	TOTAL	..	47	23	67															
Total for w/e 19-1-57	50	5	Total for w/e 19-1-57	33	17	51	3															
Total for w/e 12-1-57	33	6	Total for w/e 12-1-57	23	24	77	3															
Madras								Pondicherry																							
Madras City	3	1	11	2	TOTAL	31	18															
South Arcot	37	11	Total for w/e 19-1-57															
Tiruchirappalli	23	14	Total for w/e 12-1-57															
Tanjore	7	5	Punjab																								
Madurai	6	"N. R."																								
Ramanathapuram	18	9	TOTAL															
Tirunelveli	4	1	Total for w/e 19-1-57	1															
Salem	24	7	Total for w/e 12-1-57	2	1															
Coimbatore	10	4																									
Kanya Kumari	6	1																									
TOTAL	3	1	146	54																									
Total for w/e 19-1-57	100	28	Total for w/e 19-1-57	1															
Total for w/e 12-1-57	91	30	Total for w/e 12-1-57	2	1															

Explanation of Symbols used :—C.=Cases; D.=Deaths; ..= Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th January, 1957—*contd.*

CHOLERA							CHOLERA						
SMALLPOX		PLAGUE		CHOLERA			SMALLPOX		PLAGUE		CHOLERA		
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Rajasthan							West Bengal— <i>contd.</i>						
"N. R."							Hooghly	10	5	4	3
Tripura							Howrah	29	12	79	64
TOTAL	2	2	24-Parganas	21	13	24	11
Total for w/e 19-1-57	9	8	Calcutta	26	16	82	61
Total for w/e 12-1-57	3	Murshidabad	20	9
Uttar Pradesh							Malda	6	3
Allahabad	7	1	Purulia	37	10
Banda	1	1	TOTAL	189	89	278	169
Faizabad	2	Total for w/e 19-1-57	120	40	222	135
Fatehpur	1	Total for w/e 12-1-57
Garhwal	2	"N. R."						
Ghazipur	1	2	Grand Total for India						
Kanpur	7	(Excluding for Andhra Pradesh Punjab & Rajasthan)						
Lucknow	18	10	286	134	1033	392	4	1	..
Mirzapur	..	16	5	Corresponding Total for w/e 19-1-57	202	76	1018	315
Pratapgarh	1	..	Corresponding Total for w/e 12-1-57	68	35	653	143
Saharanpur	4	1	ARREAR INFORMATION						
Sitapur	1	Himachal Pradesh w/e 19-1-57						
Sultanpur	3	1	TOTAL
Unna	1	Rajasthan w/e 5-1-57						
Tehri Garhwal	1	1	Sawai Madhopur	4	2
TOTAL	16	5	45	17	4	1	Jaipur	24	4
Total for w/e 19-1-57	56	17	Bikaner	2	1
Total for w/e 12-1-57	19	11	Nagaur	19	7
West Bengal							Pali	2
Burdwan	8	Dungarpur	1
Birbhum	..	1	1	Udaipur	10
Bankura	..	11	3	16	12	..	Churu	7	3
Midnapur	..	54	29	39	6	..	TOTAL	..	67	19

Explanation of symbols used : C = Cases; D. = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th January, 1957—*contd.*

CHOLERA					SMALLPOX					PLAGUE				
C.					D.					C.				
P.					D.					C.				
POLIOMYELITIS					Place					Period				
Information based on patients treated in hospitals in important towns.					Cases					Deaths				
Andhra Pradesh					6-19 Jan. 1957					1				
Orissa					Do.					1				
Punjab					1-15 Jan. 1956					4 non Paretic				
Uttar Pradesh					Do.					4 Paretic				
Do.					16-31 Jan. 1957					1 Do.				
Delhi					8-22 Dec. 1956					..				
Do.					23 Dec. 56-5 Jan. 57					3 Paretic				
Explanation of symbols used : C=Cases; D=Deaths; ..=Nil					TYPHUS					Place				
Period					Cases					Deaths				
25-1-57					1					Eleabome				

NEW DELHI-2 (INDIA) }
The 18th February, 1957. }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
STATES—(Parts A and C)													
Andhra Pradesh													
Assam													
Shillong†													
Gauhati	51	15	15.3	5	1	11	11.2	..
Dibrugarh	46	5	5.7	2	2.3	..
Silchar	43	30	36.3	3	1	..	1	10	12.1	3
Total	140	50	18.6	8	2	..	1	23	8.5	3
Bihar													
Arrah	70	10	7.4	2	..	1	..	3	2.2	..
Bihar	68	7	5.4	2	1	4	3.1	..
Bettiah	38	2	2.7	1	..	1	..	3	4.1	..
Bhagalpur	126	30	12.4	2	18	7.4	..
Chapra†													
Darbhanga	93	22	12.3	2	2	2	..	12	6.7	..
Dhanbad	41	15	19.0	1	4	5.1	..
Dinapur	44	6	7.1	1	2	5	5.9	..
Gaya	149	35	12.2	19	4	16	..	44	15.4	..
Hazaribagh	39	7	9.3	4	5.3	4
Jamalpur	47	9	10.0	1	1.1	..
Jamshedpur	246	92	19.4	1	3	1	..	19	4.0	4
Katihar	51
Monghyr†													
Muzaffarpur	84	25	15.5	2	..	1	..	25	15.5	..
Patna	330	123	19.4	11	29	4.6	..
Ranchi	130	26	10.4	5	11	4.4	2
TOTAL	1,556	409	13.7	48	10	23	2	182	6.1	10
Bombay													
Ahmedabad	889	628	36.7	..	27	..	28	8	58	..	287	16.8	87
Ahmednagar	88	37	21.9	3	..	4	1	17	10.0	8
Amalner	50	24	25.0	5	..	3	..	12	12.5	2
Baroda	242	187	40.2	13	2	14	2	77	16.5	14
Barai	46	40	45.2	5	1	3	..	21	23.7	6
Bhusawal	62	53	44.5	9	..	3	..	23	19.3	..
Broach	67	54	42.0	4	..	4	1	19	14.7	3
Cambay	41	27	34.2	3	2	..	18	22.8	3
Challisaon	35	23	34.2	5	..	2	..	10	14.9	3
Dhulia	89	44	25.7	2	2	9	5.3	..
Godra	40	30	34.0	4	4	5.2	..
Greater Bombay	3,449	1,425	21.5	..	7	..	3	35	137	1	766	11.5	166
Jalgaon	79	26	27.1	1	..	2	..	12	7.9	1
Kalyan	73	30	21.4	..	2	2	2	..	9	6.4	2
Kolhapur	159	95	31.1	1	1	7	..	26	8.5	9
Malegaon	63	20	16.5	5	..	1	2	13	10.7	..
Miraj	44	25	29.5	1	9	16.6	5
Nadlad	71	48	35.2	13	..	1	1	34	24.9	7
Kamptee	36	20	29.0	1	..	1	..	6	8.7	..
Hingghat	35	16	23.8	6	1	..	1	8	11.9	1
Gondia	45	9	10.4	1	..	2	..	4	4.6	1
Aurangabad	73	13	9.3	3	2.1	..
Morvi	43	13	15.7	2	1	3	3.6	1
Pasbhanl	40	4	5.2	3	..	6	7.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; P. = Fevers, D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Achalpur .	38	21	28.7	2	5	6.8	1	
Bhavnagar .	157	63	20.9	2	..	5	1	21	7.0	1	
Rajkot .	167	133	41.4	11	4	7	1	44	13.7	13	
Gondal .	41	2	..	2	..	9	11.4	..	
Chanda .	43	22	26.6	3	1	3	1	16	19.3	3	
Nagpur .	528	271	26.7	15	1	21	..	145	14.3	44	
Nanded .	80	16	10.4	2	..	6	3.9	1	
Porbander .	64	29	23.6	8	..	3	..	17	13.8	..	
Surendranagar .	42	8	10.0	
Amravati .	101	43	22.1	1	1	3	4	..	24	12.4	..	
Veraval .	46	7	7.9	7	1	2	1	13	14.7	..	
Ycetmal .	41	32	40.6	4	2	10	12.7	..	
Jamnagar .	122	59	25.1	4	..	4	..	18	9.7	..	
Nandurbar .	35	23	34.2	4	..	2	..	9	13.4	1	
Nasik .	119	75	32.8	9	1	3	1	24	10.5	3	
Navasari .	50	30	31.2	3	7	7.3	3	
Pandharpur .	44	29	34.3	4	3	4	..	20	23.6	8	
Patan .	47	32	35.4	2	3	4	2	21	23.2	7	
Poona .	607	374	32.0	8	11	18	1	132	11.3	34	
Sangli .	58	26	23.3	4	..	2	..	14	12.6	..	
Satara .	40	37	48.1	11	14.3	..	
Sholapur .	299	219	38.1	10	10	44	..	124	21.6	29	
Surat .	250	170	35.4	10	1	11	2	80	16.6	19	
Thana .	61	24	20.5	..	1	3	12	10.2	3	
TOTAL .	8,939	4,634	27.0	..	38	..	222	97	392	23	2,178	12.7	493	
Delhi State														
Delhi City .	1,124	505	23.4	..	1	..	51	2	63	2	207	9.6	45	
New Delhi .	374	312	43.4	3	..	75	10.4	9	
N.A.C. Civil Station, Delhi .	117	55	24.4	..	8	..	1	..	4	..	21	9.3	6	
Delhi Cantt. .	50	43	44.7	1	1	5	5.2	2	
Delhi-Shahadara	53	32	31.4	2	..	3	..	5	4.9	1	
TOTAL .	1,718	947	28.7	..	9	..	55	3	73	2	313	9.5	63	
Kerala														
Trivandrum City	218	143	34.1	..	2	..	2	10	2.4	1	
Quilon .	75	87	60.3	3	4	..	26	18.0	5	
Alleppey .	148	25	8.8	1	3	5	..	18	6.3	2	
Chengnacherry	41	12	15.2	2	2	..	8	10.1	2	
Kottayam .	50	35	36.4	3	2	1	..	15	15.6	..	
Mattancherry .	85	48	29.4	2	..	1	..	14	8.6	2	
Branakulam .	70	44	32.7	2	16	11.9	..	
Trichur .	76	111	75.9	2	1	3	..	19	13.0	2	
Kozhi Kode .	176	76	22.5	3	..	7	..	43	12.7	4	
Palghat .	77	47	31.7	1	1	2	..	29	19.6	4	
Cannanore .	47	17	18.8	1	..	2	..	8	8.9	..	
Tellicherry .	42	32	39.6	1	1	..	12	14.9	3	
Cochin .	32	12	19.5	1	..	8	13.0	..	
TOTAL .	1,137	689	31.5	..	2	..	17	13	29	..	226	10.3	25	
Madhya Pradesh														
N.R.														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N. R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras													
Ambur†													
Aruppukottai .	56	28	26.0	5	3	4	1	21	19.5	1
Bodinayakanur .	40	22	28.6	1	3	9	11.7	3
Chidambaram .	39	24	32.0	2	..	1	6	8.0	2
Coimbatore .	234	210	46.7	3	8	17	4	86	19.1	20
Cuddalore .	74	66	46.4	1	2	8	..	28	19.7	4
Dindigul .	90	61	35.2	3	..	3	1	23	13.3	5
Erode .	67	71	55.1	..	2	..	2	4	4	..	31	24.1	9
Gobichetty Palyan	38	18	24.6	1	..	1	..	4	5.5	2
Guddiyattam .	53	30	29.4	4	3	1	22	21.6	6
Kancheepuram .	90	41	23.7	1	6	12	..	51	29.5	15
Karaikudi .	44	22	26.0	5	2	1	1	21	24.8	4
Krur .	50	24	25.0	..	2	..	1	9	9.4	2
Kumbakonam .	105	84	41.6	..	1	2	3	1	28	13.9	4
Madras .	1,703	1,177	35.9	1	2	..	77	95	138	3	656	20.0	198
Mathurai .	427	293	35.7	4	7	34	..	127	15.5	25
Mayuram .	49	23	24.4	1	2	17	18.0	5
Malapalayam .	41	8	10.4	1	..	5	6.5	..
Nagapattinam .	60	33	28.6	6	1	2	..	20	17.3	4
Ootacamund .	48	43	46.6	7	1	13	14.1	4
Palni .	40	14	18.2	1	3	..	14	18.2	4
Palayamkottai .	45	42	48.5	1	1	4	..	21	24.3	4
Periyakulam .	34	20	30.6	2	3	..	9	13.8	3
Pollachi .	51	29	29.6	5	15	15.3	4
Pudukottai†													
Rajapalayam .	69	36	27.1	4	9	4	1	32	24.1	6
Salem† .													
Srirangam .	42	37	45.8	1	2	1	..	17	21.0	4
Srivilliputtur†													
Tanjore .	118	31	13.7	2	1	..	16	7.1	6
Tiruvannamalai .	45	28	32.4	4	1	..	8	9.2	3
Tirunelveli .	80	52	33.8	1	4	5	..	31	20.2	9
Tiruppur .	63	55	45.4	4	1	..	13	10.7	6
Tiruchirappalli .	251	106	22.0	..	12	..	3	10	10	..	100	20.7	17
Tuticorin .	111	61	28.6	3	11	11	1	52	24.4	10
Vaniyambadi .	43	19	23.0	2	2	4	..	14	16.9	2
Vellore .	124	107	44.9	3	7	13	..	60	25.2	1
Villupuram .	39	29	38.7	..	3	3	..	17	22.7	17
Virudunagar .	53	216	25.5	2	2	14	13.7	4
TOTAL	4,516	2,970	34.2	1	22	..	131	207	302	16	1,610	18.5	418

Mysore

Bangalore .	977	428	22.8	7	31	35	..	176	9.4	..
Mysore .	294	173	30.6	15	7	1	..	67	11.9	..
Kolar Gold Fields .	173	99	29.8	6	5	4	..	42	12.6	..
Bellary .	78	58	38.7	1	1	26	17.3	..
Davangere .	69	41	30.9	4	1	26	19.6	..
Hospet .	45	19	21.9	1	1	4	4.6	..
Tumkur .	44	18	21.3	7	8	9.5	..
Kolar .	32	16	26.0	3	4.9	..
Chitaldrug .	31	3	5.0	..	1	..	2	7	11.7	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Mysore—<i>contd.</i>													
Gulbarga . . .	90	4	2.3	4	..	8	4.6	..
Belgaum . . .	110	72	34.0	6	1	2	..	30	14.2	..
Dharwar . . .	76	27	18.5	2	11	7.5	..
Mangalore . . .	136	39	14.9	1	1	18	16.9	..
TOTAL	2,155	997	24.1	..	1	..	52	48	67	..	426	10.3	..
Orissa													
Berhampur . . .	72	30	21.7	3	1	1	..	12	8.7	2
Cuttack . . .	117	114	50.7	1	8	6	9	..	59	26.2	8
Puri . . .	53	53	52.0	9	10	31	30.4	4
TOTAL	242	197	42.3	1	20	17	10	..	102	21.9	14
Pondicherry													
Pondicherry . . .	68	63	48.2	..	5	..	2	4	3	2	32	24.5	18
Punjab (I)													
Ambala . . .	65	45	36.0	2	2	1	10	8.0	3
Amritsar . . .	343	181	27.4	1	6	16	..	72	11.0	11
Batela . . .	62	30	25.2	1	..	3	..	6	5.0	2
Bhatinda . . .	39	15	20.0	1	1	2	..	5	6.7	1
Bhiwani . . .	57	47	42.9	4	1	5	..	15	13.7	2
Ferozepore . . .	45	25	29.0	2	4	..	9	10.4	2
Hissar . . .	39	28	37.3	2	..	3	..	7	9.3	3
Hoshiarpur . . .	51	19	19.4	2	..	7	7.1	..
Jullundur . . .	200	103	26.8	4	1	7	..	22	5.7	4
Karnal . . .	72	36	26.0	3	..	2	..	12	8.7	1
Ludhiana . . .	176	122	26.0	5	..	2	..	21	6.2	4
Moga . . .	41	31	39.3	3	..	7	8.9	1
Panipat . . .	64	31	25.2	6	..	4	..	14	11.4	6
Patiala . . .	108	47	22.6	6	..	4	..	14	6.7	6
Pathankot . . .	34	27	41.3	2	3.1	..
Rewari . . .	36	14	20.2	6	..	8	11.6	3
Rohtak . . .	105	53	26.2	1	..	4	..	7	3.5	2
Simla . . .	50	22	23.0	2	..	8	8.3	3
Sonapat . . .	34	24	36.7	2	..	3	..	7	10.7	2
TOTAL	1,621	900	28.9	36	11	74	1	253	8.1	56
Rajasthan													
"N.R."													
Jaipur . . .	353	86	12.7	31	5	3	2	22	7.7	32
Ajmer . . .	223	68	15.9	9	1	16	..	42	9.8	7
Tonk . . .	45	5	5.8	4	4.6	1
Bikaner . . .	117	50	22.2	..	1	..	3	..	7	..	21	9.3	2
Churu . . .	48	1	1.1	2	2.2	..
Ganganagar . . .	47	3	3.3	..	1	1	..	7	7.7	..
Kotah . . .	72	4	2.9	3	14	10.1	2
TOTAL	1,905	217	12.5	..	2	..	47	6	30	2	140	8.0	44

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from —									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh															
Agra . . .	375	605	83.9	4	50	..	92	12.8	36		
Allahabad . . .	349	160	23.8	..	I	..	I	I	30	I	62	9.2	11		
Amroha . . .	61	45	38.4	2	I	12	..	24	20.5	7		
Bahraich . . .	47	17	18.8	I	..	I	..	5	5.5	..		
Banaras†															
Ballia . . .	35	2	3.0	I	2	3.0	..		
Bijnor . . .	32	15	24.4	I	..	3	..	6	9.8	..		
Banda . . .	32	4	6.5	..	I	..	I	2	3.3	..		
Bareilly . . .	203	70	18.0	12	2	12	..	35	9.0	6		
Budaun . . .	54	25	24.1	7	..	10	9.6	2		
Basti †															
Bulandshahr . . .	54	11	13.6	5	5	9.2	I		
Chandausi . . .	41	20	25.4	I	..	3	..	5	6.3	2		
Dehra Dun . . .	146	43	15.3	3	5	..	18	6.4	4		
Etawah †															
Faizabad-Ayodhya . . .	88	21	12.4	3	..	2	..	8	4.7	2		
Farrukhabad-Fatehgarh . . .	82	32	20.3	3	2	4	..	12	7.6	I		
Ferozabad . . .	79	28	18.4	2	9	5.9	2		
Gazlabad . . .	46	28	31.7	I	3	3.4	2		
Ghazipur . . .	36	32	46.2	8	11	16.0	..		
Gorakhpur . . .	140	56	20.8	6	3	3	..	21	7.4	4		
Gonda . . .	35	6	9.0	2	..	I	..	4	6.4	..		
Hapur . . .	49	20	21.2	2	..	4	4.2	..		
Hardwar . . .	64	24	19.5	5	..	6	..	16	13.0	4		
Hathras . . .	62	47	39.4	3	..	7	..	15	12.6	3		
Jaunpur . . .	56	30	28.0	3	..	2	..	9	8.4	I		
Jhansi . . .	116	102	45.7	17	..	3	..	26	11.7	6		
Kanpur . . .	734	339	24.0	124	20	38	8	319	22.6	82		
Kasganj . . .	34	13	20.0	2	2	3.1	..		
Khurja . . .	41	24	30.4	2	2	2	..	6	7.6	2		
Koili-Allgarh . . .	150	35	12.1	6	5	..	13	4.5	I		
Lucknow . . .	494	281	29.6	..	I	..	15	2	19	..	115	12.1	23		
Mathura . . .	110	75	35.5	8	2	9	..	26	12.3	4		
Mau-Nath Bhanjan . . .	38	28	38.3	3	I	7	9.6	2		
Meerut†															
Mirzapur Vindhyachal . . .	97	54	29.0	8	2	3	..	19	10.2	3		
Moradabad . . .	164	85	27.1	11	I	2	..	25	8.0	2		
Muzaffarnagar . . .	74	22	15.5	2	..	2	..	8	5.6	I		
Pilibhit . . .	45	21	24.3	5	..	I	..	7	8.1	I		
Rampur†															
Saharanpur . . .	162	93	30.0	24	..	10	..	48	15.4	14		
Sambhal . . .	65	29	23.2	2	..	10	..	14	11.2	6		
Shahjahanpur . . .	99	53	27.8	6	2	7	..	25	13.1	5		
Sitapur . . .	49	15	16.0	4	4	4.2	2		
TOTAL . . .	4,626	2,610	29.3	..	3	..	294	54	261	9	1,041	11.7	242		

West Bengal

"N.R."

Bihar**ARREAR RETURNS**

For wks 19-1-56

Arrah . . .	70	6	4.5	3	5	3.7	..
Bihar . . .	68	21	16.1	2	4	3.1	..
Bettiah . . .	38	8	10.9	..	I	I	..	4	5.5	I

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	R.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar—contd.															
Bhagalpur . . .	126	39	16.1	1	20	8.3	..		
Chapra†															
Darbhanga . . .	93	20	11.2	3	..	3	1	15	8.4	..		
Dhanbad	41	12	15.2	2	2.5	..		
Dinapur . . .	44	6	7.1	2	..	1	3	8	9.5	..		
Gaya . . .	149	37	12.9	15	1	14	1	38	13.3	..		
Hazaribagh . . .	39	16	21.3	4	5.3	..		
Jamalpur . . .	47	9	10.0	1	14.1	..		
Jamshedpur . . .	246	137	29.0	1	2	..	16	3.4	1		
Katihar . . .	51		
Monghyr . . .	80	16	10.4	5	9	5.9	..		
Muzaffarpur . . .	84	38	23.5	1	..	4	..	21	13.0	..		
Patna . . .	330	153	24.1	3	..	1	..	49	7.7	..		
Ranchi . . .	130	20	8.0	10	20	8.0	4		
TOTAL	1,636	538	17.1	..	1	..	45	2	26	5	216	6.9	6		
Assam															
For w/e 19-1-1957															
Gauhati . . .	51	25	25.5	..	1	19	19.4	3		
Dibrugarh . . .	46	5	5.7		
Silchar . . .	43	3	3.6	1	1	1	..	5	6.0	..		
TOTAL	140	33	12.3	..	1	..	1	1	1	..	24	8.9	3		
Supplementary															
For w/e 12-1-1957															
Silchar . . .	43	3	3.6	1	1	1	..	5	6.0	2		
Jammu & Kashmir															
For w/e 4-8-1956															
Srinagar . . .	242	155	33.3	2	1	3	..	18	3.9	3		
For w/e 11-8-1956															
Srinagar . . .	242	115	24.7	3	10	32	6.9	10		
For w/e 18-8-1956															
Srinagar . . .	242	123	26.4	1	2	1	14	3.0	4		
For w/e 25-8-56															
Srinagar . . .	242	152	32.7	3	..	2	1	21	4.5	1		
Madhya Bharat															
For w/e 3-11-56															
Khandwa . . .	59	24	21.2	5	7	6.2	..		
Burchanpur . . .	79	56	36.9	5	..	1	..	10	6.6	..		
Greater Gwalior . . .	273	64	122	4	1	3	..	31	5.9	7		
Indore . . .	368	110	15.5	2	..	8	..	62	8.8	31		
Mandsaur . . .	41	8	10.1	5	6.3	..		
Ratlam. . .	73	31	22.1	10	..	3	..	15	10.7	..		
TOTAL	893	293	17.1	26	1	15	..	130	7.6	38		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
<i>For w/e 10-II-56</i>													
Bilaspur	40	34	44.2	1	..	3	..	22	28.6	..
Greater Gwalior	273	149	28.4	6	24	4.6	6
Ujjain	156	60	20.0	10	27	9.0	9
Ratlam	73	40	28.5	7	..	2	..	14	10.0	..
Mandsaur	41	19	12.7	6	7.6	..
TOTAL	583	293	26.1	24	..	5	..	93	8.3	15
<i>For w/e 17-II-56</i>													
Chhindwara	31	40	67.1	1	6	10.0	5
Bilaspur	40	19	24.7	1	..	8	10.4	5
Indore	368	291	41.1	5	4	15	..	80	11.3	32
Greater Gwalior	273	103	19.6	7	12	2.3	1
Mandsaur	41	2	2.5	2	2.5	..
Ratlam	73	33	23.5	7	..	2	..	17	12.1	..
TOTAL	826	481	30.3	20	4	18	..	125	7.9	43
<i>For w/e 24-II-56</i>													
Bilaspur	40	25	32.5	2	2	..	12	15.6	3
Indore	368	287	40.5	2	2	9	..	67	9.5	34
Greater Gwalior	273	104	19.8	3	..	1	..	15	2.9	2
Ujjain	156	57	19.0	9	1	38	12.7	12
Mandsaur	41	17	21.6	1	5	6.3	4
Ratlam	73	35	24.9	..	2	..	4	..	1	..	14	10.0	3
TOTAL	951	525	28.7	..	2	..	19	4	13	1	151	8.3	58
<i>For w/e 15-12-56</i>													
Chhindwara	31	22	36.9	2	..	2	..	9	15.1	2
Ujjain	156	46	15.3	2	2	23	7.7	8
Bhopal	116	38	17.0	1	..	4	1.8	..
Greater Gwalior	273	139	26.5	5	..	2	..	17	3.2	..
Indore	368	354	50.0	5	1	11	..	69	9.8	19
Mandsaur	41	16	20.3	5	..	2	..	9	11.4	1
TOTAL	985	615	32.5	19	3	18	..	131	6.9	30
<i>For w/e 22-12-56</i>													
Chhindwara	31	23	38.6	1	..	6	10.0	2
Sagar	75	26	18.0	2	..	3	..	10	6.9	..
Khandwa	59	23	20.3	3	9	7.9	..
Burhanpur	79	55	36.2	9	5	17	11.2	..
Greater Gwalior	273	58	11.0	2	..	1	..	10	1.9	2
Bhopal	116	48	21.5	1	3	1.3	2
Indore	368	243	34.3	11	2	16	..	80	11.3	25
Ujjain	156	40	13.3	5	2	26	8.7	6
Mandsaur	41	6	7.6	1	2	2.5	1
TOTAL	1,198	522	22.7	34	9	21	1	163	7.1	38
Pondicherry													
<i>For w/e 19-I-56</i>													
Pondicherry	68	85	65.0	..	2	..	3	3	2	1	38	29.1	20

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th January, 1957—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est.‡ (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal		<i>For w/e 19-1-56</i>											
Asansol†													
Baidyabati	33	14	22.1	1	..	3	4.7	..
Bally	66	2	1.6	..
Bankura	50	27	28.1	1	3	3.1	..
Bansberia†													
Baranagar	90	36	20.8	1	..	3	..	17	9.8	11
Basirhat	39	11	14.7	2	2.7	1
Berhampur	64	47	38.2	4	1	10	8.1	2
Bhadreshwar	34	4	6.1	1	1.5	..
Bhatpara	143	31	11.3	12	1	2	..	25	9.1	7
Budge Budge	32	15	24.4	1	1	2	..	7	11.4	..
Burdwan	82	13	8.2	1	1	7	4.4	..
Calcutta	2,984	1,312	22.9	8	45	..	75	52	171	4	858	15.0	244
Champdani	41	14	17.8	1	1.3	..
Cooch Behar†													
Darjeeling †													
English Bazar	36	1	1.4	1	..	2	2.9	..
Garden Reach	124	20	8.4	..	6	..	4	..	8	..	23	9.6	5
Halisahar	41	4	5.1	3	3.8	..
Hooghly-Chinsurah	60	95	82.3	..	3	..	2	..	4	..	17	14.7	..
Howrah	477	179	19.5	7	51	..	8	13	38	..	180	19.6	61
Jalpaiguri	47	32	35.4	4	..	1	1	9	10.0	..
Kamarhati†													
Kanchrapara	74	3	2.1	1	0.7	..
Krishnagar	56	1
Midnapore	45	38	43.9	3	2	15	17.3	..
Nabadwip	70	50	35.1	13	1	..	1	20	14.9	2
Naihati	62	4	3.4	5	4.2	..
North Barrackpore	36	7	10.1	2	2.9	..
Panihati	65	4	3.2	7	1	3	..	11	8.8	5
Shantipur	49	17	18.0	1	..	4	4.2	..
Serampore	83	42	26.3	4	..	3	..	20	12.5	7
Siliguri	44	23	27.2	1	5	5.9	..
South Dum Dum	83	2	..	2	1.3	..
South Suburban†													
Titagarh†													
TOTAL	5110	2043	20.8	15	105	..	141	73	240	6	1255	12.8	346

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

REMARKS

The figures of births and deaths of India shown in this statement for w/c 26th January, 1957 relate to 201 towns with an estimated population of 27,623 thousands. Information about Andhra Pradesh, Madhya Pradesh, and West Bengal could not be included. The total number of towns is 318 and their population is 41,584. Thus 63% of the total number of towns representing 66% of the total population is covered

in this statement. The number of births and deaths recorded in these towns were 14,683 and 6,526 representing birth and death rates of 27.6 and 12.3 respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by states.

States	w/c 26-1-57		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Assam	18.6	8.5	11.5	9.3
Bihar	13.7	6.4	15.5	5.9
Bombay	27.0	12.7	28.0	12.8
Delhi	28.7	9.5	20.0	6.6
Kerala	31.5	10.3	26.5	8.2
Madras	34.2	18.5	34.0	18.1
Mysore	24.1	10.3	22.0	8.8
Orissa	42.3	21.9	68.5	19.5
Pondicherry	48.2	24.5	†	†
Punjab	28.9	8.1	36.2	7.9
Rajasthan	12.5	8.1	12.5	6.7
U.P.	29.3	11.7	31.2	14.3
India	27.6	12.3	28.2	12.5

† Figures not available

NEW DELHI-2 (INDIA) : }
The 18th February, 1957. }

K. MITRA,
for Registrar General, India.

